


OBSOIELE.

S REGUIRED




CHEONE #2-POLISH UP TO


| 2016 ON ON | CAT. | H. G. FISCHER & CO. | | ** ** | | .TTA9 | |
|----------------------|-----------------|---------------------|-------|-----------------|------------|--------|---|
| | | | | 31 11 | | TEMP. | |
| | | | | ** | CAD. #23 | FINISH | 7 |
| VERTICAL GUIDE STRIP | | | | · · · · · · | | SHAPE | S |
| TINU. CAR 700 | "SP-CO" SHOCKPR | MODEL | J.W.L | СНРИВЕР 7-22-37 | C.R. STEEL | KIND | |
| | | TITLE: | 316 | 1880E 7-9-35 | XXX VS | SIZE | |


OBSOFELE

1 REQUIRED



HEAD TO BE 32 BELOW SURFACE
HEAD TO BE 32 BELOW SURFACE








1 REQUIRED


OBSOLETE


| SIZE | FROM 12117G | ISSUE 11-23-38 | J.W. | TITLE: AIR-SPACED ELECTRODE | | | | | | |
|--------|-------------|----------------|------|-----------------------------|------|--|--------------|--|--|--|
| KIND | | CHANGED | | ADJUSTING SCREW-FINISHED | | | | | | |
| SHAPE | | | | | | | | | | |
| FINISH | | 66 | | | | | | | | |
| TEMP. | | | | H. G. FISCHER & CO. | CAT. | | PART 12117GF | | | |
| PATT. | | ** | | CHICAGO, ILL. | | | | | | |














| | | | | | | | _ |
|---|---------------------|---------------|---|--------------|------------|--------|---|
| GITINT ON | ON | CHICAGO, ILL. | | | | .TTA9 | |
| CAT. NO. LALIT D. NO. | H. G. FISCHER & CO. | | " | | TEMP. | | |
| | | | | | | FINISH | |
| WALL MODEL DENTAL X-RAY UNIT- TRANSE - "X-RAY" TUBE SHIELD PLATE | | | | ** | | SHAPE | |
| | | | | СНРИСЕD | SHEET LEAD | KIND | |
| TITLE: | | | | 57-8-T ansai | 11040. | SIZE | |
| | | | | | | | |

OBSOTELE

I REGUIRED

